M 760
[illegible] Rifle Rem. "Gamemaster" #461476 with scope
[illegible] 4/5/68 # A 17350 (with clip)
(NR-NCIC or NSPI)

Gun [illegible] Neo cond. except for few scars on stock & barrel & forearm
Scope " " (SN bottom of windage adj. plate)
"Redfield" sticker present on windage adj. cap
" " missing from Elev. " "

Redfield Gunsight Co
1315 South Clarkson (Not [illegible] policy in [illegible])
Denver, Colo 80210 - Standard Weaver tip-off mount [illegible] from any [illegible] [illegible] A552 [illegible]
Scope set on 6 3/4 X, has medium (post) crosshair

Q2 In Box Q1, for .243 Win Browning "Safari" grade (with 22" barrel)
rifle SN 474425 (not 444215 or 444425 or
(NR-NCIC or NSPI) 4Y4475 [illegible] cond.)
[illegible] ([illegible]) [illegible] [illegible] in [illegible]. [illegible]

No alum. or [illegible] scratches on muzzle of gun
No paint, wood or other foreign material on gun.

Q2 M 760
30-06 Rifle Rem. "Gamemaster" #461476 with scope
Latents 4/5/68 # A17350 (with clip)
(NR-NCIC or NSPI)
Gun [illegible] New cond. except for few scars on stock & barrel (forearm
Scope " " (SN bottom of windage adj. plate.)
"Redfield" sticker present on windage adj. cap
" " missing from Elev. " "
Redfield Gunsight Co
1315 South Clarkson (Not [illegible] in [illegible])
Denver, Colo 80210 -Standard Weaver type mount - [illegible] scope from any prev. [illegible] ; NG mount A55240X
Scope set on 6 3/4 X, has medium (prob.) crosshair

Q2 In Box Q1, for .243 win Browning "Safari" grade ([illegible] 22" barrel)
rifle SN 4744Z5 (not 44471 5 or 44472 5 or
(NR-NCIC or NSPI) 4Y447 5 [illegible])
[illegible] [illegible] 5 at end in [illegible]. [illegible]

No alum. or screws scratches on muzzle of gun
No paint, wood or other foreign material on gun.

Mfg. ballistic data for .30-06 Spfd 150 gr PSP CL R-P

(~~[illegible]~~ listed in 1965 Peters Cat. - Listed in 1963 Cat. Peters
Not " " 1948 Peters Cat. " " 1965 Rem Cat
Listed → 1955

R-P headstamp origin

	Muzzle Vel	100	200	300	400	500	Muzzle Energy	100	200	300	400	500	sighted in 200 yds 100	200	300	400	500
Pointed SPCL 150 Hi-Speed	2970	2670	2400	2130	1880	1670	2930	2370	1920	1510	1190	930	1.9	0	-7.5	-22.6	-45.7

Binocular 7x35

D.P. Bushnell & Co, Inc., 639 Bushnell Bldg
Pasadena, Calif. 91107

NR-NCIC 4/5

(Not listed as policy in NSPI)

Q64 MC-C bullet — NC — Q2 rifle - insuff mks of val due to mutil. Few mks on base portion

Blood and body tissue

Wt 10.38 (orig. 150gr R-P

#L+G 6

Dir Right

Land width .040 ±.002

Groove width .115

Dia .308-.3087 - .30 cal,

Length - mutil

Rifling v —

Savage .300, Model 219 110 110C, Stevens 30-30 M 325, 325A, 325B, 325C ; Sav. .308 cal 99, 110, 110C

Remington 30-06, Models 721, 725, 740, 760 Sav. .300 Win Mag. M110

Sav. .300 Sav. 99

Rem. .308 M 722, 760, 600 ; .300 Weatherby Mag.

Q64 like bullets in Q4-Q8 + cd be pt of Q3 + ctgs like Q4-8

Q64 diff from bullet in Q9-12 (military ball) —

Note same bullet loaded into .30 06 .300 Sav .308

" " sold for reloading - .30 cal

((

Q64 MC-C bullet — NC — Q2 rifle - insuff mks of val due to mutil. Few mks on base portion

Blood and body tissue

Wt 70.38 (orig. 150gr R-P

#L+G 6

Dir Right

Land width .040 ±.002

Groove width .115

Dia .308-.3087 — .30 cal,

Length - mutil

Rifling v —

Savage 300, Model 219 110 110c, Stevens 30-30 M 325, 325A, 325B, 325C ; Sav. 308 win 99, 110, 110C

Remington 30-06, Models 721, 725, 740, 760   Sav. 300 Win Mag. M110   Sav. .300 Sav. 99

Rem. .308 M 722, 760, 600 ; 300 Weatherby Mag.

Q64 like bullets in Q4-Q8 + cd be pt of Q3 + ctgs like Q4-8

Q64 diff from bullet in Q9-12 (military ball)

[illegible] same [illegible] loaded into 30-06 .300 Sav .308

" " sold for reloading - .30 cal

	Bullits	Powder
Q4	wt = 150.75 grs	wt = 50.50 grs
Q5	wt = 148.95 grs	wt = 50.85 grs
Q6	wt = 149.45 grs	wt = 50.90 grs
Q7	wt = 150.25 grs	wt = 50.70 grs.
Q8	wt = 149.70 grs Var 1.80gr	wt = 50.82 grs .4gr Var.
Q9	wt = 151.44 grs	wt = 49.10 grs
Q10	wt = 151.10 grs	wt = 49.50 grs
Q11	wt = 151.50 grs	wt = 49.70 grs
Q12	wt = 150.31 grs (Var 1.13gr) ↑	wt = 49.44 grs. .6gr Var

Q3 .30-06 Spfd R-P cartridge case
Mfd side Q3 F= Ident Q2 gun
No mks other than ext mk from Q2 and BrFc-FP mks of value - Some mks, under rim apparently by mfg loading [illegible] since type mks on Q4-Q8 and Q9-Q12 and on ctgs in 3 boxes this type ammo in test supply in lab.

Q3 like ctg case portion of Q4-Q8
Q3 and Q'64 could be from same ctg - no mks for id. case.

Q3 has 1 ext mk - Id Q2 -
Q3 has mfg shell-holder or machine mks - loading op.
Q3 has chamber mks - Id Q2
Q3 has no other mks value

[illegible] Model 700 [illegible] [illegible] Supply Co.
[illegible] has Q2
[illegible]

Q3 .30-06 Spfd R-P cartridge case
Mkd side Q3 R Ident Q2 gun
No mks other than ext mk from Q2 and BrFc-FP mks in value - Some mks under rim apparently by mfg loading tools since same type mks on Q4-Q8 and Q9-Q12 and on ctgs in 2 boxes this type amm in ref supply in lab.

Q3 like ctg case portion of Q4-Q8
Q3 and Q'64 cd be from same ctg - no mks for Id. exist.

Q3 has 1 ext mk - Id Q2
Q3 has mfg shell-holder or machine mks - loading op.
Q3 has chamber mks - Id Q2
Q3 has no other mks value

[illegible] Model 700 Rifle [illegible] Supply Co.
[illegible] Q2
[illegible]

Q_3 Cart. case.

1 - Marked Q_3

2 - Black marks show areas ident. w/ Q_2 except BF.

3 - Areas under rim - NG for ext. - / Q_2 extractor is "horseshoe-type"

4 - Rim shows only 1 extractor mark. See photo P_1

5. 

long scratch ident w/ Q_2 no photo.

See photos



P1
48mm



P2
48mm



P3
48mm

Q4


mfg.
R - P
30-06 SPRG
mfg.
Ext. (Heavy)

placed into shell holder in lab.

Q5


mfg (Heavy)
mfg.
R - P
30-06 SPRG
mfg.

Q6


mfg.
R - P
30-06 SPRG
mfg. mks
mfg. (heavy)

Q7


(very light) mfg.
R — P
30-06 SPRG
heavy mfg.

Q8


mfg.
R — P
30-06 SPRG
heavy mfg.

Q9 purple H_2O proofing


R A
5 5
$1\frac{1}{8}$
heavy mks
machine gun belt

Q10

purple H_2O proofing
similar link marks as Q9



Q11

purple H_2O proofing
similar link marks as on Q9


mfg.
mfg.
R
A
50
P
mfg.

Q12

purple H_2O proofing
similar link marks as on Q9


mfg.
R
A
5
5
mfg.

firing pin - NG
for comp. purposes



Q3 48mm Q2



Q3 48mm Q2